

## 業績リスト (大塚 攻)

### (1) 原著論文、総説

- Ohtsuka, S., T. Shimono, T. Hanyuda, X. Shang, C. Huang, H.Y. Soh, W. Kimmerer, H. Kawai, H. Itoh, T. Ishimaru & K. Tomikawa. Possible origins of planktonic copepods, *Pseudodiaptomus marinus* (Crustacea: Copepoda: Calanoida), introduced from East Asia to the San Francisco Estuary based on a molecular analysis. *Aquat. Invasions*, in press.
- Nakano, T., R. Nakamura, S. Ohtsuka, T. Suzuki & D. Suzuki. Low genetic diversity in *Ozobranchus jantsenanus* (Hirudinida: Ozobranchidae) in Japan: possibility of introduction with their host turtle. *Parasitol. Int.*, 66, 798-801, 2017.
- Mulyadi, S, Nishida & S. Ohtsuka. Seven new species of *Tortanus* (*Atortus*) (Copepoda, Calanoida, Tortanidae) from North Sulawesi, Indonesia. *Crustaceana*, 90, 77-99, 2017.
- 飯田健・米谷まり・中村龍太・近藤裕介・林修・高橋俊吾・大塚攻. 福岡県曾根干潟におけるカブトガニ幼体の密度と幼体生息場所および成体産卵場所の底質. 広島大学大学院生物圏科学研究科瀬戸内圏フィールド科学教育研究センター報告, 15, 1-7, 2017.
- Ohtsuka, S., K. Hasegawa, T. Kimura, H. Miyake, K. Iida, H. Pagliawan & E. Metillo. Possible mimicry in the galeommatid bivalve *Scintilla philippinensis* (Bivalvia: Galeommatidae) to nudibranchs and crabs. *Venus*, 75, 93-98, 2017.
- 大塚攻・西原直久・平山良太・田中隼人・近藤裕介・斉藤英俊・清水則雄・飯田健・米谷まり. 広島県の主要産地（江田島市、竹原市）における絶滅危惧種カブトガニの生息状況. *日本ベントス学会誌*, 72, 16-26, 2017.
- 米谷まり・飯田健・藤太稀・平野勝士・近藤裕介・大塚攻・中口和光・山口修平・加藤幹雄・広瀬雅人・藤田敏彦. 大島新曾根で採集されたトヨシオマリヒトデ *Podosphaeraster toyoshiomaruae* の行動観察. *生物圏科学*, 56, 27-32, 2017.
- 橋本周一郎・大塚攻・近藤裕介・岩崎貞治・足立文・笠川宏子・小谷野有加. 2016. 瀬戸内海産エビクラゲの餌生物と摂餌方法に関する研究. *広島大学総合博物館研究報告*, 8, 39-43, 2016.
- Ohtsuka, S., H. Tanaka & G.A. Boxshall. A new species of hyperbenthic cyclopoid copepod from Japan: first record of the genus *Cyclopicina* in the Indo-Pacific region. *Zool. Sci.*, 33, 659-666, 2016.
- 大塚攻・田中隼人・近藤裕介・内海隼人・橋本周一郎・片岡 聖・中口和光・山口修平・加藤幹雄・Dhugal Linday・砂原圭砂. 種子島沖合における親潮潜流の到達の可能性：北太平洋亜寒帯指標種 *Neocalanus cristatus* (カイアシ類) の出現. *生物圏科学*, 55, 25-30, 2016.
- Venmathi Maran, B.A., E.R. Cruz-Lacierda, S. Ohtsuka & K. Nagasawa. New records of Caligidae (Copepoda, Siphonostomatoida) from the Philippines. *Zootaxa*, 4174, 237-248, 2016.
- Venmathi Maran, B.A., E. Suárez-Morales, S. Ohtsuka, H.Y. Soh & U.W. Hwang. 2016. On the occurrence of caligids (Copepoda: Siphonostomatoida) in the marine plankton: a review and checklist. *Zootaxa*, 4174, 437-447, 2016.
- Tasumi, S., I. Norshida, G.A. Boxshall, K. Kikuchi, Y. Suzuki & S. Ohtsuka. Screening of candidate genes encoding proteins expressed in pectoral fins of fugu *Takifugu rubripes*, in relation to habitat site of parasitic copepod *Caligus fugu*, using suppression subtract hybridization. *Fish Shellfish Immunol.*, 44, 356-364, 2015.
- Toshino, S., H. Miyake, S. Ohtsuka, A. Adachi, Y. Kondo, S. Okada, T. Hirabayashi & T. Hiratuska. Monodisc strobilation in Japanese giant box jellyfish *Morbakka virulenta* (Kishinouye, 1910): a strong implication of phylogenetic similarity between Cubozoa and Scyphozoa. *Evo. Devo.*, 17, 231-239, 2015.
- Ohtsuka, S., E. Metillo & G.A. Boxshall. First record of association of copepods with

- highly venomous box jellyfish *Chironex*, with description of new species of *Paramacrochiron* (Cyclopoida: Macrochironidae). *Zool. Sci.*, 32, 195–203, 2015.
- Tanaka, H. & S. Ohtsuka. Historical biography of the genus *Polycopissa* (Ostracoda: Mysodocopa: Cladocopina), with the description and DNA barcode of the second Indo-Pacific species from the Seto Inland Sea. *Mar. Biodiv.*, DOI 10.1007/s12526-015-0412-y, 2015.
- 田中隼人・大塚攻. 豊潮丸で得られた西日本沿岸のウミホタル目貝形虫類（甲殻類）の出現報告と属検索図. 広島大学総合博物館研究報告, 7, 75–87, 2015.
- Hanamura, Y., R. Mantiri & S. Ohtsuka. A new species of *Gastrosaccus* Norman, 1868 (Mysida, Mysidae, Gastrosaccinae) from a sandy shore of Indonesia. *Zookeys*, 438, 17–32, 2014.
- Hanamura T., S. Ohtsuka, R. Mantiri & H. Komatsu H, Redescription of a rare mysid *Nipponomysis surugensis* (Murano, 1977) (Crustacea, Mysida, Mysidae) based on specimens from the Seto Inland Sea, Japan. *Plankton Benthos Res.*, 9, 217–224, 2014.
- Hirabayashi T & S. Ohtsuka. A new species of *Labidocera* (Copepoda, Calanoida, Pontellidae) collected from Okinawa, southwestern Japan, with establishment of five Indo-West Pacific species group in the *L. detruncata* species complex. *ZooKeys*, 447, 21–34, 2014
- 近藤裕介・橋本周一郎・岡田昇馬・平林丈嗣・齊藤充志・岩崎貞治・浦田慎・足立文・小谷野有加・笠川宏子・大塚攻. 瀬戸内海産エビクラゲの出現時期と共生するタコクラゲモエビの種間関係について. 広島大学大学院生物圏科学研究科瀬戸内圏フィールド科学教育研究センター報告, 12, 10–20, 2014.
- 岡田昇馬・近藤裕介・平林丈嗣・橋本周一郎・戸篠祥・三宅裕志・足立文・浦田慎・大塚攻. 瀬戸内海産大型立方クラゲ類ヒクラゲの出現と成長に関する知見. 広島大学総合博物館研究報告, 6, 1–5, 2014.
- 藤井直紀・近藤裕介・岡田昇馬・大塚攻・浦田慎・足立文・加藤幹雄・山口修平・中口和光・村中志帆・吉野健児・堤裕昭. 2012年夏期～秋期における有明海産ビゼンクラゲ *Rhopilema esculentum* Kishinouye の現存量推定. 日本プランクトン学報, 61, 23–31, 2014.
- 齊藤英俊・岩崎貞治・近藤裕介・大塚攻. ハチ干潟における釣り餌生物ホシムシ類の分布状況. 広島大学大学院生物圏科学研究科瀬戸内圏フィールド科学教育研究センター報告, 12, 1–9, 2014.
- 佐藤正典・田中正敦・福田宏・和田太一・新居正利・大塚攻・浦田慎・中口和光・山口修平・加藤幹雄. ウミイサゴムシ科多毛類の稀少種ヒウチウミイサゴムシの瀬戸内海からの記録. *南紀生物*, 56, 1–7, 2014.
- Urata, M., S. Iwasaki, S. Ohtsuka & M. Yamaguchi. Development of the swimming acorn worm *Glandiceps hacksii*: similarity to holothuroids. *Evo. Devo.*, 15, 3, 149–154, 2014.
- 浦田慎・大塚攻. 那覇沖で得られたオナガナメクジウオ種群. 広島大学大学院生物圏科学研究科瀬戸内圏フィールド科学教育研究センター報告, 12, 21–25, 2014.
- Soh, H.Y., S.Y. Moon, S. Ohtsuka, S., S.J. Pae & H.G. Jeong. Reconstruction of arietellid copepod phylogenetic relationship, with description of a new species of *Sarsarietellus* (Copepoda, Calanoida, Arietellidae) from Korean waters. *Zool. Sci.*, 30, 998–1004, 2013.
- Ismail, N., S. Ohtsuka, B.A. Venmathi Maran, S. Tasumi, K. Zeleha & H. Yamashita. Complete life cycle of a pennellid *Peniculus minuticaudae* Shiino, 1956 (Copepoda: Siphonostomatoida) infecting cultured threadsail filefish, *Stephanolepis cirrhifer*. *Parasite*, 2013, 20, 42, 2013.
- Srinui, K., S. Ohtsuka & S. Nishida. A new species of *Pseudodiaptomus* (Crustacea, Copepoda, Calanoida, Pseudodiaptomidae) from the Prasae River Estuary, Gulf of Thailand, *ZooKeys*, 338, 39–54, 2013.
- Venmathi Maran, B.A., S.Y. Moon, S. Ohtsuka, S.-Y. Oh, H.Y. Soh, J-G. Myoung, A. Iglkowska, & G.A. Boxshall. The caligid life cycle: new evidence from *Lepeophtheirus elegans* reconciles the cycles of *Caligus* and *Lepeophtheirus* (Copepoda: Caligidae). *Parasite*, 2013, 20, 15, 2013.

- Toshino, S., H. Miyake, S. Ohtsuka, K. Okuizumi, A. Adachi, Y. Hamatsu, M. Urata, K. Nakaguchi & S. Yamaguchi. Development and polyp formation of the giant box jellyfish *Morbakka virulenta* (Kishinouye, 1910) (Cnidaria: Cubozoa) collected from the Seto Inland Sea, western Japan. *Plankton Benthos Res.*, 8, 1–8, 2013.
- Venmathi Maran, B.A., D. Tang, I. Madinabeitia, K. Izawa, S. Ohtsuka, D.J. Jang & K. Nagasawa. Redescription of *Pseudacanthocanthopsis secunda* (Yamaguti and Yamasu, 1960) (Copepoda: Chondracanthidae) parasitic on marine fishes from the Seto Inland Sea, Japan and the East China Sea off Japan and Korea, *J. Nat. Hist.*, 47(5), 5–12, 2013.
- Mantiri, R., S. Ohtsuka & S. Sawamoto. Fisheries on *Mesopodopsis* (Mysida: Mysidae) and *Acetes* (Decapoda: Sergestidae) in Indonesia, *Kuroshio Sci.*, 5(2), 137–146, 2012.
- Shimomura, M., S. Ohtsuka & J. Hashimoto. New distribution and host records of a penaeid ectoparasitic isopod, *Minicopenaeon intermedium* Bourdon, 1981 (Crustacea: Bopyridae). *Bull. Kitakyushu Mus. Nat. Hist. Hum. Hist., Ser. A*, 10, 1–8, 2012.
- 広瀬雅人・大塚攻・近藤裕介・平林丈嗣・富川光・清水則雄, 瀬戸内海中央部で発見された腕足類2種について. 広島大学総合博物館研究報告, 4, 43–48, 2012.
- Venmathi Maran, B.A., S. Ohtsuka & X. Shang. Records of adult caligiform copepods (Crustacea: Copepoda: Siphonostomatoida) in marine plankton from East Asia, including descriptions of two new species of *Caligus* (Caligidae). *Species Diversity*, 17, 209–219, 2012.
- Ohtsuka S., M. Shimomura & K. Kitazawa. A new species of *Enterognathus* (Copepoda, Cyclopoida, Enterognathidae) collected from the Seto Inland Sea, western Japan, *ZooKeys*, 180, 1–8, 2012.
- Kaji T, B.A. Venmathi Maran, Y. Kondoh Y, S. Ohtsuka, G.A. Boxshall & A. Tsukagoshi. The lunule of caligid copepods: an evolutionary novel structure, *Evo. Devo.*, 14:6, 465–475, 2012.
- Okkawachi, H., S. Ohtsuka, N.B. Ismail, B.A. Venmathi Maran & K. Ogawa. Seasonal occurrence and microhabitat of the hyperparasite monogenean *Udonella fugu* on the caligid copepod *Pseudocaligus fugu* infecting the grass puffer *Takifugu niphobles* in the Seto Inland Sea, Japan. *Ocean Sci. J.*, 47, 181–187, 2012.
- Urata. M., S. Iwasaki & S. Ohtsuka. Biology of the swimming acorn worm *Glandiceps hacksi* from the Seto Inland Sea of Japan. *Zool. Sci.*, 29, 305–310, 2012.
- Huys, R, F. Fatih, S. Ohtsuka & J. Llewellyn-Hughes. Evolution of the bomolochiform superfamily complex (Copepoda: Cyclopoida): new insights from ssrDNA and morphology and origin of umazuracolids from polychaete-infesting ancestors rejected. *Int. J. Parasitol.*, 42, 71–92, 2012.
- Ohtsuka, S., G.A. Boxshall & K. Srinui. A new species of *Paramacrochiron* (Copepoda: Cyclopoida: Macrochironidae) associated with the rhizostome medusa *Rhopilema hispidum* collected from the Gulf of Thailand, with a phylogenetic analysis of the family Macrochironidae. *Zool. Sci.*, 29, 127–133, 2012.
- Venmathi Maran, BA, S. Ohtsuka & P. Jitchum. Occurrence of caligid copepods (Crustacea) in plankton samples collected from Japan and Thailand, with the description of a new species. *Species Diversity*, 17, 1–9, 2012.
- Ohtsuka, S., T. Horiguchi, Y. Hanamura, A. Yamaguchi, M. Shimomura, T. Suzaki, K. Ishiguro, H. Hanaoka, K. Yamada & S. Ohtani. Symbiosis of planktonic copepods and mysids with epibionts and parasites in the North Pacific: diversity and interactions. *Crust. Monogr.*, 15, 1–14, 2011.
- Shimomura, M. & S. Ohtsuka. Two new species of ectoparasitic isopods (Isopoda, Dajidae) from mysids in Japan. *Crust. Monogr.*, 15, 23–30, 2011.
- Venmathi Maran, B.A., S. Ohtsuka, I. Takami, S. Okabe & G.A. Boxshall. Recent advances in the biology of the parasitic copepod *Pseudocaligus fugu* (Siphonostomatoida, Caligidae), host specific to pufferfishes of the genus *Takifugu* (Actinopterygii, Tetraodontidae). *Crust. Monogr.*, 15, 31–45, 2011.
- 大塚攻・近藤裕介・岩崎貞治・林健一, 瀬戸内海産エビクラゲ *Netrostoma setouchiana* に共生するコエビ類, 広島大学総合博物館研究報告, 3, 1–6, 2011.
- 齋藤暢宏・山下浩史・近藤裕介・大塚攻・長澤和也, 魚類寄生性甲殻類クサフグウミチョ

- ウの第2例目の採集記録. 日本生物地理学会会報, 66, 243–247, 2011.
- 大塚攻・黄長江・商栩・Wim Kimmerer・徐浩榮. バラスト水による動物プランクトンの導  
入と定着の実態. 用水と廃水, 53, 811–815, 2011.
- Bradford-Grieve, J.M., G.A. Boxshall, S. Ahyong & S. Ohtsuka. Cladistic analysis of the calanoid Copepoda. *Invert. Syst.*, 24, 291–321, 2010.
- Ohtsuka, S., K. Kitazawa & G.A. Boxshall. A new genus of endoparasitic copepods (Cyclopoida: Enterognathidae), forming a gall in the calyx of deep-sea crinoids. *Zool. Sci.*, 27, 689–696, 2010.
- Ohtsuka, S., K. Tomikawa & X. Shang. A new species of *Hemicyclops* (Crustacea: Copepoda: Cyclopoida) found in plankton at the mouth of the Jiulong River, southern China. *Species Diversity*, 15, 41–50, 2010.
- Ohtsuka, S., Y. Kondo, Y. Sakai, T. Shimazu, M. Shimomura, T. Komai, K. Yanagi, T. Fujita, J. Nishikawa, H. Miyake, B.A. Venmathi Maran, A. Go, K. Nagaguchi, S. Yamaguchi, C. Dechsakulwatana, K. Srinui, S. Putchakarn, Mulyadi, N. Mujiono, Sutomo & F.M. Yusoff. In-situ observations of symbionts on medusae occurring in Japan, Thailand, Indonesia and Malaysia. *Bull. Hiroshima Univ. Mus.*, 2, 9–18, 2010.
- 大塚攻. 寄生性カイアシ類の多様性、特にオウジラミ類について. 獣医寄生虫学会誌, 9, 1–8, 2010.
- Ohtsuka, S., K. Koike, D. Lindsay, J. Nishikawa, H. Miyake, M. Kawahara, Mulyadi, N. Mujiono, J. Hiromi & H. Komatsu. Symbionts of marine medusae and ctenophores (review). *Plankton Benthos Res.*, 4: 1–13, 2009.
- 西川淳・Ngyen T. Thu・Fatimah Md. Yusoff・Dhuagl J. Lindsay・Mulyadi・Nova Mujiono・大塚攻・西田周平. 東南アジア、特にベトナム、インドネシア、マレーシアにおけるクラゲ漁業. 月刊海洋, 41, 401–411, 2009.
- 大塚攻・谷村篤・町田龍二・西田周平. 浮遊性カイアシ類の両極および反赤道分布について. 化石, 85, 6–13, 2009.
- Grygier, M. & S. Ohtsuka. A new genus of monstrilloid copepods (Crustacea) with anteriorly pointing ovigerous spines and related adaptations for subthoracic brooding. *Zool. J. Linnean Soc.*, 152, 459–506., 2008.
- Piasecki, W., S. Ohtsuka & R. Yoshizaki. A new species of *Thysanote* Krøyer, 1863 (Copepoda: Siphonostomatoida: Lernaepodidae), a fish parasite from Thailand. *Acta Ichthyologica et Piscatoria*, 38, 29–35, 2008.
- 大塚攻・大谷道夫・Ho Young Soh・Minjae Kim・Wonchoel Lee・Chanjunag Huang・William J. Kimmerer・下埜毛敬紀・羽生田岳昭・川井浩史・上田拓史・山口愛果. 日本の国際貿易港における外来性カイアシ類の出現の有無とバラスト水との関連. 日本プランクトン学会報, 55, 115–126, 2008.
- Ohtsuka, S., T. Horiguchi & K. Nagasawa, Symbionts of plankters: their diversity and Importance, *Journal of Scientific Research, Chulalong Korn Univ. (Section T)*, 2550, 29–42, 2007.
- Walter, T.C., S. Ohtsuka & L.V. Castilo. A new species of *Pseudodiaptomus* (Crustacea: Copepoda: Calanoida) from the Philippines, with a key to pseudodiaptomidids from the Philippines and comments on the status of the genus *Schmackeria*. *Proc. Biol. Soc. Wash.*, 119, 202–221, 2006.
- Ohtsuka, S., G.A. Boxshall & M. Shimomura. A new genus and species of nicothoid copepod (Crustacea: Copepoda: Siphonostomatoida) parasitic on the mysid *Siriella okadai* Ii from off Japan. *Syst. Parasitol.*, 62, 65–81, 2005.
- Ohtsuka, S., G.A. Boxshall & M. Shimomura. Three new species of deep-sea hyperbenthic aetideid copepods (Crustacea) collected from Nansei Islands, southwestern Japan. *Natn. Sci. Mus. Monographs*, 29, 225–247, 2005.

- Shimomura, M., S. Ohtsuka & K. Naito. *Prodaeus curviabdominalis* (Isopoda: Epicaridea: Dajidae), an ectoparasite of mysids, with notes on morphological changes, behaviour and life Cycle. *Syst. Parasitol.*, 60, 39–57, 2005.
- Yamauchi, T., S. Ohtsuka & K. Nagasawa, Ectoparasitic isopod, *Norileca indica* (Crustacea, Isopoda, Cymothoidae), obtained from the stomach of *Coryphaena hippurus* (Perciformes, Coryphaenidae) in the Philippines. *Biogeogr.*, 7, 25–27, 2005.
- Ohtsuka, S., S. Nishida & R.J. Machida. Systematics and zoogeography of the deep-sea hyperbenthic Arietellidae (Copepoda: Calanoida) collected from the Sulu Sea. *J. Nat. Hist.*, 39, 2483–2514, 2005.
- Ohtsuka, S. & D.V.P. Conway, A new species of *Tortanus* (*Atortus*) (Copepoda: Calanoida: Tortanidae) from Seyshelles, Mauritius and Madagascar. *J. Mar. Biol. Ass. U.K.*, 85, 65–70, 2005.
- Huys, R., S. Ohtsuka, S. Conroy-Dalton & Y. Kukuchi. Description of two new species of *Neotachidius* Shen & Tai, 1963 (Copepoda, Harpacticoida, Tachidiidae) from Korean brackish waters and proposal of a new genus for Tachidius (*Tachidius*) *vicinospinalis* Shen & Tai, 1964. *Zool. J. Linnean Soc.*, 143, 133–159, 2005.
- Shimomura, M., S. Ohtsuka & K. Naito. *Prodaeus curviabdominalis* n. sp. (Isopoda: Epicaridea: Dajidae), an ectoparasite of mysids, with notes on morphological changes, behaviour and life cycle. *Syst. Parasitol.*, 60, 39–57, 2005.
- Ohtsuka, S. & G.A. Boxshall, A new species of the deep-sea copepod genus *Scutogerulus* (Calanoida: Arietellidae) from the hyperbenthic waters of Okinawa, Japan. *Systematics and Biodiversity*, 2, 49–55, 2004.
- Ohtsuka, S., Y. Hanamura, K. Nagasawa, T. Horiguchi & T. Suzaki. First record of the occurrence of an ellobiopsid *Thalassomyces marsupii* Kane on a new host of hyperiid amphipod in Japanese waters. *Plankton Biol. Ecol.*, 51, 110–112, 2004.
- Ohtsuka, S., J.-s. Ho, K. Nagasawa, J. Morozinska-Gogol & W. Piasecki, The identity of *Limnoncaea diuncata* Kokubo, 1914 (Copepoda: Poecilostomatoida) from Hokkaido, Japan, with the relegation of *Diergasilus* Do, 1981 to a junior synonym of *Thersitina* Norman, 1905, *Syst. Parasitol.*, 57, 35–44, 2004
- Ohtsuka, S., J.-s. Ho & K. Nagasawa, Ergasilid copepods (Poecilostomatoida) in plankton samples from Hokkaido, Japan with reconsideration on the taxonomic status of *Limnoncaea* Kokubo, 1914, *J. Nat. Hist.*, 38, 471–498, 2004
- Ohtsuka, S., M. Hora, T. Suzaki, M. Arikawa, G. Omura & K. Yamada. Morphology and host-specificity of the apostome ciliate *Vampyrophrya pelagica* infecting pelagic copepods in the Seto Inland Sea, Japan. *Mar. Ecol. Prog. Ser.*, 282, 129–142, 2004.
- Horiguchi, T., A. Harada, S. Ohtsuka, H.Y. Soh & Y.H. Yoon. First record of an ectoparasitic dinoflagellate, *Oodinium inlandicum* (Dinophyta) infecting a chaetognath, *Sagitta crassa* from the Korean coasts. *Algae*, 19, 201–205, 2004.
- Kim, I.-H., S. Ohtsuka, K. Yokosaka & K. Ito. Redescription and taxonomic remarks on the licomorgid copepod *Paraphiloconcha meretricis* (Crustacea: Copepoda: Poecilostomatoida) parasitic on the bivalve *Meretrix lamarckii* from Japan. *Species Diversity*, 9, 331–341, 2004.
- 大塚攻・堀口健雄・Rubes M. Lopes・Keun-Hyung Choi・岩崎敬二. バラスト水によるプランクトンの導入(総説). *日本プランクトン学会報*, 51, 101–108, 2004.
- Ohtsuka, S., G.A. Boxshall & A. Fosshagen. A new species of *Neoscolecithrix* (Crustacea; Copepoda; Calanoida) from off Okinawa, southwestern Japan, with comments on the generic Position in the superfamily Clausocalanoidea. *Bull. Natn. Sci. Mus., Tokyo, Ser. A*, 29, 53–63, 2003.
- Ohtsuka, S. & D.P.V. Conway. A new species of *Tortanus* (*Atortus*) (Copepoda: Calanoida: Tortanidae) from Rodrigues Island, Mauritius. *J. Biol. Ass. U.K.*, 83, 355–360, 2003.
- Ohtsuka, S., D. McKinnon, K. Pinkaew, S. Puchakarn & K. Chalermwat. New record of *Centropages brevifurcus* (Crustacea: Copepoda: Calanoida) from the Gulf of Thailand and its full redescription. *Species Diversity*, 8, 67–78, 2003.

- Ohtsuka, S., T. Horiguchi, Y. Hanamura, K. Nagasawa & T. Suzaki. Intersex in the mysid *Siriella japonica izuensis* Ii: the possibility it is caused by infestation with parasites. *Plankton Biol. Ecol.*, 50, 65–70, 2003.
- Barthelemy, R., S. Ohtsuka & H.Y. Soh, Mating plug in the planktonic copepod *Tortanus (Atortus) rubidus*. *Plankton Biol. Ecol.*, 50, 25–26, 2003.
- Hanamura, Y. & S. Ohtsuka. Occurrence of intersex individuals in the sergestid shrimp, *Acetes sibogae*, in Darwin Harbour, Northern Territory, Australia, *Crustaceana*, 76, 749–754, 2003.
- Sakai, S., A. Kano, S. Ohtsuka, K. Nakaguchi & A. Go. Tide-induced reworking of planktonic foraminifers on the outer shelf and slope off the Miyako Island, southern Ryukyus, Japan: preliminary results. *J. Sci. Hiroshima Univ., Ser. C*, 11, 239–246, 2003.
- Walter, T.C., S. Ohtsuka, S. Sumaitt, K. Pinkaew & S. Chullasorn. Redescription of two species of *Pseudodiaptomus* from Asia and Australia (Crustacea: Copepoda: Calanoida: Pseudodiaptomidae) with discussion of the female genital structure and zoogeography of Indo-West Pacific species. *Proc. Biol. Soc. Wash.*, 115, 650–669, 2002.
- Ohtsuka, S., Y. Hanamura & T. Kase, A new species of *Thetispelecaris* (Crustacea: Peracarida) from submarine cave on Grand Cayman Island. *Zool. Sci.*, 19, 611–624, 2002.
- Ohtsuka, S., S. Nishida & K. Nakaguchi. Three new species of the genus *Macandrewella* (Copepoda: Calanoida: Scolecitrichidae) from the Pacific Ocean, with notes on distribution and feeding habits. *J. Nat. Hist.*, 36, 531–564, 2002.
- Nishida, S., S. Ohtsuka & A.R. Parker. Functional morphology and food habits of deep-sea copepods of the genus *Cephalophanes* (Calanoida: Phaennidae): perception of bioluminescence as a strategy for food detection. *Mar. Ecol. Prog. Ser.*, 227, 157–171, 2002.
- Komai, T., S. Ohtsuka, K. Nakaguchi & A. Go. Decapod crustaceans collected from the southern part of the Sea of Japan in 2000–2001 using TRV Toyoshio-maru. *Nat. Hist. Res.*, 7: 19–73, 2002.
- Ohtsuka, S. & R. Huys. Sexual dimorphism in calanoid copepods: morphology and function. *Hydrobiologia*, 453/454, 441–466, 2001.
- Soh, H.Y., H.-L. Suh, S. Ohtsuka, Y.H. Yoon & S.D. Choi. Taxonomic studies on brackish copepods in Korean waters-III. Ontogeny and phylogeny of appendages in copepodid stages of *Tortanus derjugini* Smirnov, 1935 (Copepoda, Calanoida), *J. Plankton Res.*, 23, 1157–1169, 2001.
- Soh, H.Y., H.-L. Suh, O.H. Yu & S. Ohtsuka. The first record of two demersal calanoid copepods, *Pseudodiaptomus poplesia* and *P. nihonkaiensis* in Korea, with remarks on morphology of the genital area. *Hydrobiologia*, 448, 203–215, 2001.
- Horiguchi, T. & S. Ohtsuka. *Oodinium inlandicum* sp. nov. (Blastodiniales, Dinophyta), a new ectoparasitic dinoflagellate infesting a chaetognath *Sagitta crassa*. *Plankton Biol. Ecol.*, 48: 85–95, 2001.
- Boxshall, G.A. & S. Ohtsuka. Two new families of copepods (Copepoda: Siphonostomatoida) parasitic on echinoderms. *J. Crust. Biol.*, 21, 96–105, 2001.
- Itoh, H., S. Ohtsuka & T. Sato. New species of *Tortanus* (Copepoda; Calanoida) from stomach contents of chum salmon juveniles collected from the Sea of Japan. *Plankton Biol. Ecol.*, 48, 59–67, 2001.
- Nagasawa, K., S. Ohtsuka, S. Saeki, S. Ohtani, G.H. Zhu & A. Shiimoto. Abundance and in-situ feeding habits of *Neocalanus cristatus* (Copepoda: Calanoida) in the Central and Western North Pacific Ocean. *Bull. Nat. Res. Inst. Far Seas Fish.*, 38, 37–52, 2001.
- Ueda, H., S. Ohtsuka, Y. Seike & S. Ohtani. Second record of *Cyclopina kiraensis*, a small, brackish-water cyclopoid copepod, in Japan. *Limnol.*, 2, 49–50, 2001.
- 大塚攻. 浮遊性カイアシ類の動物地理. 月刊海洋, 号外 26, 48–55, 2001.
- 大塚攻・西田周平. 海産浮遊性カイアシ類の進化.—生殖や摂餌にどのような変化が起こったのか?—. 月刊海洋, 号外 27, 116–124, 2001.
- Ohtsuka, S., G. A. Boxshall & K. Torigoe. A new genus and species of the family

- Mantridae (Copepoda: Cyclopoida) infesting the bivalve *Pseudochama retroversa* from the Seto Inland Sea, western Japan. *J. Nat. Hist.*, 34, 1967–1976, 2000.
- Ohtsuka, S., M. M. El-Sherbiny & H. Ueda. Taxonomy, functional morphology, and behavioral ecology of the planktonic calanoid copepod *Tortanus* (*Atortus*). *Crust. Res.*, 29, 1–11, 2000.
- Ohtsuka, S., T. Kase & G. A. Boxshall, A new species of *Ridgewayia* (Copepoda: Calanoida) from a submarine cave in Palau, Western Pacific. *Species Diversity*, 5, 201–213, 2000.
- 大塚攻・長澤和也・梶島光次郎. 海洋動物プランクトンの寄生生物(総説). 日本プランクトン学会報, 47, 1–16, 2000.
- Ohtsuka, S., A. Fosshagen & S. Putschakarn. Three new species of the demersal calanoid copepod *Pseudocyclops* from Phuket, Thailand, *Plankton. Biol. Ecol.*, 46, 132–147, 1999.
- Orsi, J. J. & S. Ohtsuka, Introduction of the Asian copepods *Acartiella sinensis*, *Tortanus dextrilobatus* (Copepoda: Calanoida), and *Limnoithona teraspina* (Copepoda: Cyclopoida) to the San Francisco estuary, California, USA. *Plankton Biol. Ecol.*, 46, 128–131, 1999.
- Soh, H.Y., S. Ohtsuka & H.-L. Suh, Phylogenetic relationships of the family Metridinidae (Copepoda: Calanoida). *J. Fish. Sci. Tech.*, 2, 122–128, 1999.
- Soh, H.Y., S. Ohtsuka, H. Imabayashi & H.-L. Suh. A new deep-water calanoid copepod and the phylogeny of the genus *Nullosetigera* nom. nov. in the Nullosetigeridae nom. nov. (pro *Phyllopus*: Phyllopodidae) from Japanese waters. *J. Nat. Hist.*, 33, 1581–1602, 1999.
- Soh, H.Y., H.-L. Suh & S. Ohtsuka, Redescription of *Haloptilus caribbeanensis* (Copepoda: Calanoida) from the Pacific, with remarks on the morphology of antennules in the genus *Haloptilus*. *J. Fish. Sci. Tech.*, 2, 129–134, 1999.
- Ohtsuka, S. & G.A. Boxshall. Two new genera of Tantulocarida (Crustacea) infesting asellote isopods and siphonostomatoid copepods from western Japan, *J. Nat. Hist.*, 32, 683–699, 1998.
- Ohtsuka, S. & N. Iwasaki. Redescription of two diosaccid harpacticoid copepods from the northern Mariana Islands. *Nat. Hist. Res.*, 5, 17–29, 1998.
- Ohtsuka, S. & J.W. Reid, Phylogeny and zoogeography of the planktonic copepod genus *Tortanus* (Calanoida: Tortanidae), with establishment of a new subgenus and descriptions of two new species. *J. Crust. Biol.*, 18, 774–807, 1998.
- Ohtsuka, S., H.Y. Soh & H. Ueda. *Platycopia compacta* n.sp., the second species of Platycopioida (Crustacea: Copepoda) in the Indo-Pacific region, with remarks on development, feeding, swimming, and zoogeography. *Zool. Sci.*, 15, 415–424, 1998.
- Ohtsuka, S., I. Takeuchi & A. Tanimura. *Xanthocalanus gracilis* and *Tharybis magna* (Copepoda: Calanoida) rediscovered from the Antarctic Ocean with baited traps. *J. Nat. Hist.*, 32, 785–804, 1998.
- Barthelemy, R., S. Ohtsuka & C. Cuoc. Description and female genital structures of a new species of the demersal calanoid copepod *Ridgewayia* from southern Japan. *J. Nat. Hist.*, 32, 1303–1318, 1998.
- Soh, H.Y., S. Ohtsuka, H. Imabayashi & S. Sawamoto. *Gaussia princeps* (Scott) (Copepoda, Calanoida, Metridinidae) from the Indo-Pacific, with notes on the zoogeography of the genus. *Species Diversity*, 3, 169–186, 1998.
- Ueda, H. & S. Ohtsuka. Redescription and taxonomic status of *Sinodiptomus valkanovi*, a common limnoplanktonic calanoid copepod in Japan, with comparison to the closely related *S. sarsi*. *Hydrobiologia*, 379, 159–168, 1998.
- Ohtsuka, S., H.Y. Soh & S. Nishida. Evolutionary switching from suspension-feeding to carnivory in the calanoid family Heterorhabdidae (Copepoda). *J. Crust. Biol.*, 17, 577–595, 1997.
- Nishida, S. & S. Ohtsuka. Ultrastructure of the mouthpart sensory setae in mesopelagic copepods of the family Scolecitrichidae. *Plankton Biol. Ecol.*, 44, 81–90, 1997.
- Ohtsuka, S., R. Botttger-Schnack, M. Okada & T. Onbe. In situ feeding habits of *Oncaea*

- (Copepoda: Poecilostomatoida) from the upper 250 m of the central Red Sea, with special reference to consumption of appendicularian houses. *Bull. Plankton Soc. Japan*, 43: 89–105, 1996.
- Ohtsuka, S., A. Fosshagen & H.Y. Soh. Three new species of the demersal calanoid copepod *Placocalanus* (Ridgewayiidae) from Okinawa, southern Japan. *Sarsia*, 81, 247–263, 1996.
- Ohtsuka, S., M. Shimozu, A. Tanimura, M. Fukuchi, H. Hattori, H. Sasaki & O. Matsuda. Relationships between mouthpart structures and in situ feeding habits of five neritic calanoid copepods in the Chukchi and northern Bering Seas in October 1988. *Proc. NIPR Symp. Polar Biol.*, 9, 153–168, 1996.
- Nishida, S. & S. Ohtsuka. Specialized feeding mechanism in the pelagic copepod genus *Heterorhabdus* (Calanoida: Heterorhabdidae), with special reference to the mandibular tooth and labral glands. *Mar. Biol.*, 126, 619–632, 1996.
- Ueda, H. & S. Ohtsuka. Cyclopoid copepods from a stream in the limestone cave Akiyoshido. *Jpn. J. Limnol.*, 57, 305–312, 1996.
- Ohtsuka, S., H. Ueda & G.-S. Lian. *Tortanus derjugini* Smirnov (Copepoda: Calanoida) from the Ariake Sea, western Japan, with notes on the zoogeography of brackish-water calanoid copepods in East Asia. *Bull. Plankton Soc. Japan*, 42, 147–162, 1995.
- Ohtsuka, S., H. Inagaki, T. Onbe, K. Gushima, Kenji & Y.H. Yoon. Direct observations of groups of mysids in shallow waters of western Japan and southern Korea. *Mar. Ecol. Prog. Ser.*, 123, 33–44, 1995.
- Grygier, M.J. & S. Ohtsuka. New species of *Synagoga* (Crustacea: Ascothoracida) from plankton off Okinawa, Japan, with a SEM study of the carapace. *Publ. Seto Mar. Biol. Lab.*, 36, 293–311, 1995.
- Grygier, M.J. & S. Ohtsuka. SEM observation of the nauplius of *Monstrilla hamatapex*, new species, from Japan and an example of upgraded descriptive standards for monstrolloid copepods. *J. Crust. Biol.*, 15, 703–719, 1995.
- Ohtsuka, S. & G.A. Boxshall. *Platycopia orientalis*, new species (Copepoda: Platycopioida), from the North Pacific, with descriptions of copepodid stages, *J. Crust. Biol.*, 14, 151–167, 1994.
- Ohtsuka, S., G.A. Boxshall & H.S.J. Roe. Phylogenetic relationships between arietellid genera (Copepoda: Calanoida), with the establishment of three new genera, *Bull. Nat. Hist. Mus. Lond. (Zool.)*, 60, 105–172, 1994.
- Haridas, P., M. Madhupratap & S. Ohtsuka. *Pseudocyclops lakshmi*, a new species (Pseudocyclopidae: Calanoida: Copepoda) from the Laccadives, India. *Proc. Biol. Soc. Wash.*, 107, 151–163, 1994.
- Huys, R., S. Ohtsuka & G.A. Boxshall, A new tantulocaridan (Crustacea: Maxillopoda) parasitic on calanoid, harpacticoid and cyclopoid copepods. *Publ. Seto Mar. Biol. Lab.*, 36, 197–209, 1994.
- Ohtsuka, S., Note on mature female of *Itoitantulus misophricola* Huys, Ohtsuka and Boxshall, 1992 (Crustacea: Tantulocarida). *Publ. Seto Mar. Biol. Lab.*, 36, 73–77, 1993.
- Ohtsuka, S., A. Fosshagen & T.M. Iliffe. Two new species of *Paramisophria* (Copepoda, Calanoida, Arietellidae) from anchialine caves on the canary and Galapagos Islands. *Sarsia*, 78, 57–67, 1993.
- Ohtsuka, S., N. Kubo, M. Okada & K. Gushima. Attachment and feeding of pelagic copepods on larvacean houses. *J. Oceanogr.*, 49, 115–120, 1993.
- Ohtsuka, S., S. Ohaye, A. Tanimura, M. Fukuchi, H. Hattori, H. Sasaki & O. Matsuda. Feeding ecology of copepodid stages of *Eucalanus bungii* in the Chukchi and northern Bering Seas in October 1988. *Proc. NIPR Symp. Polar Biol.*, 6, 27–37, 1993.
- Ohtsuka, S., H.S.J. Roe & G.A. Boxshall. A new family of calanoid copepods, the Hyperbionycidae, collected from the deep-sea hyperbenthic community in the northeastern Atlantic, *Sarsia*, 78, 69–82, 1993.



- Huys, R. & S. Ohtsuka. A new species of *Syrticola* Willems & Claeys, 1982 (Copepoda: Harpacticoida) from Japan with notes on the type species. Bull. Nat. Hist. Mus. Lond. (Zool.), 59, 83–94, 1993.
- Ohtsuka, S. Calanoid copepods collected from the near-bottom in Tanabe Bay on the Pacific coast of the Middle Honshu, Japan. IV. Pseudocyclopiidae. Publ. Seto Mar. Biol. Lab., 35, 295–301, 1992.
- Ohtsuka, S. *Tortanus* (Acutanus) *angularis*, new subgenus and new species (Copepoda: Calanoida), from the Caribbean Sea, with remarks on the subgenera in the genus *Tortanus*. Proc. Biol. Soc. Wash., 105, 255–267, 1992.
- Ohtsuka, S., R. Huys, G.A. Boxshall & T. Ito. *Misophriopsis okinawensis* sp. nov. (Crustacea: Copepoda) from the hyperbenthic waters off Okinawa, South Japan, with definitions of related genera *Misophria* Boeck, 1864 and *Stygomisophria* gen. nov. Zool. Sci., 9, 859–874, 1992.
- Ohtsuka, S., Y.H. Yoon & Y. Endo. Taxonomic studies on brackish copepods in Korean waters. I. Redescription of *Tortanus dextrilobatus* Chen and Zhang, 1965 from Korean waters, with remarks on zoogeography of the subgenus *Eutortanus*. J. Oceanol. Soc. Korea, 27, 112–122, 1992.
- Huys, R., S. Ohtsuka, G.A. Boxshall & T. Ito. *Itoitantululus misophricola* gen. et sp. nov.: first record of Tantulocarida (Crustacea: Maxillopoda) in the North Pacific region. Zool. Sci., 9, 875–886, 1992.
- Ohtsuka, S., A. Fosshagen & A. Go. The hyperbenthic calanoid copepod *Paramisophria* from Okinawa, South Japan, Zool. Sci., 8, 793–804, 1991.
- Ohtsuka, S. & N. Kubo. Larvaceans and their houses as important food for some pelagic copepods. Bull. Plankton Soc. Japan, Spec. Vol., 535–551, 1991.
- Ohtsuka, S. & T. Onbe. Relationship between mouthpart structures and in situ feeding habits of species of the family Pontellidae (Copepoda: Calanoida). Mar. Biol., 111, 213–225, 1991.
- Ohtsuka, S. & C. Mitsuzumi. A new asymmetrical near-bottom calanoid copepod, *Paramisophria platysoma*, with observations of its integumental organs, behavior and in-situ feeding habit. Bull. Plankton Soc. Japan, 36: 87–101, 1990.
- Ohtsuka, S. & K. Kimoto. *Tortanus* (*Atortus*) (Copepoda: Calanoida) of southern Japanese waters, with description of two new species, *T. (A.) digitalis* and *T. (A.) ryukyuensis*, and discussion on distribution and swarming behavior of *Atortus*. J. Crust. Biol., 9, 392–408, 1989.
- Ohtsuka, S. & T. Onbe. Evidence of selective feeding on larvaceans by the pelagic copepod *Candacia bipinnata* (Calanoida: Candaciidae). J. Plankton Res., 11, 869–872, 1989.
- Barr, D.J. & S. Ohtsuka. *Pseudocyclops lepidotus*, a new species of demersal copepod (Calanoida: Pseudocyclopiidae) from the northwestern Pacific. Proc. Biol. Soc. Wash., 102, 331–338, 1989.
- Onbe, T., T. Hotta & S. Ohtsuka. The developmental stages of the marine calanoid copepod *Labidocera rotunda* Mori. J. Fac. Appl. Biol. Sci., Hiroshima Univ., 27: 79–91, 1988.
- Ohtsuka, S., A. Fleminger & T. Onbe. A new species of *Pontella* (Copepoda: Calanoida) from the Inland Sea of Japan with notes on its feeding habits and related species. J. Crust. Biol., 7, 554–571, 1987.
- Ohtsuka, S., Y. Fukuura & A. Go. Description of a new species of *Tortanus* (Copepoda: Calanoida) from Kuchinoerabu Island, Kyushu, with notes on its possible feeding mechanism and in-situ feeding habits. Bull. Plankton Soc. Japan, 34, 53–63, 1987.
- Ohtsuka, S. & J. Hiromi. Calanoid copepods collected from the near-bottom in Tanabe Bay on the Pacific coast of the Middle Honshu, Japan. III. Stephidae. Publ. Seto Mar. Biol. Lab., 32, 219–232, 1987.
- Ohtsuka, S., A note on feeding habit of a calanoid copepod, *Pontellopsis yamadae* Mori. Publ. Seto Mar. Biol. Lab., 30, 145–149, 1985
- Ohtsuka, S. Calanoid copepods collected from the near-bottom in Tanabe Bay on the Pacific coast of the Middle Honshu, Japan. II. Arietellidae (cont.). Publ. Seto Mar. Biol. Lab., 30, 287–306, 1985.

- Ohtsuka, S. & E. Yoshioka. A preliminary note on the pelagic eggs of marine invertebrates. Spec. Publ. Mukaishima Mar. Biol. Stn., 225–235, 1985.
- Ohtsuka, S. Calanoid copepods collected from the near-bottom in Tanabe Bay on the Pacific coast of the Middle Honshu, Japan. I. Arietellidae. Publ. Seto Mar. Biol. Lab., 29, 359–365, 1984.
- Ito, T. & S. Ohtsuka. Cypris Y from the North Pacific (Crustacea: Maxillopoda). Publ. Seto Mar. Biol. Lab., 29: 179–186, 1984.
- 藤原律朗・大塚攻. カルエボシより見いだされた多毛類の一種. 南紀生物, 26, 113–114, 1984.

(2)著書

- 大塚攻. アジア海域における大型クラゲ類の共生生物群集. クラゲ類の生態系における機能再考. 豊川雅哉・西川淳・三宅裕志(編): クラゲ類の生態学的研究. 生物研究社, 東京. Pp. 87–98. 2017.
- Ohtsuka, S. & S. Nishida. Copepod biodiversity in Japan: recent advances in Japanese copepodology. Motokawa, M. & Kajihara H (eds.), Species Diversity of Animals in Japan. Springer Japan. Pp. 565–602, 2017
- Ohtsuka, S., T. Suzaki, N. Suzuki, T. Horiguchi & F. Not (eds.): Marine Protists: Diversity and Dynamics. Springer Japan. 648pp. 2015.
- 大塚攻・広海十朗. 小さき侵略的外来種: カイアシ類. 日本プランクトン学会・日本ベントス学会(編): 海の外来生物. 人間によって攪乱された地球の海. 東海大学出版会, 秦野. Pp. 124–134. 2009.
- 大塚攻・駒井智幸. 甲殻亜門. 石川良輔(編): 節足動物の多様性と系統 (バイオダイバーシティ・シリーズ). 裳華房, 東京. Pp. 172–268, 2008.
- 大塚攻. カイアシ類. 水平進化という戦略. 生態系を支える微小生物の世界. NHK ブックス, 東京. 260pp. 2006.
- 大塚攻. 浮遊性カイアシ類. 長澤和也(編): カイアシ類学入門—水中の小さな巨人たちの世界. 東海大学出版会, 秦野. Pp. 3–18. 2005.
- 大塚攻. ヒメヤドリエビ. 長澤和也(編): フィールドの寄生虫学—水族寄生虫学の最前線. 東海大学出版会, 秦野. Pp. 55–67. 2004.
- 大塚攻. プランクトンの善玉と悪玉. 宮澤啓輔(監修): 海と大地の恵みのサイエンス. 共立出版株式会社, 東京. Pp. 6-9. 2001.
- 大塚攻. 顎脚類. 青木淳一・田近謙一・森岡弘之(編): 動物系統分類学, 追補版. 中山書店, 東京. Pp. 199–206. 2000.
- 大塚攻. 動物プランクトン相. 國井秀伸(編): 中海本庄工区の生物と自然, たたら書房, 米子. Pp.39–51. 1999.
- 大塚攻 (一部、上田拓史と共著). カイアシ類. Copepoda. 千原光雄・村野正昭(編): 日本海洋プランクトン検索図説. 東海大学出版会, 秦野, Pp. 649–668, 719–726, 752–774, 797–828, 862–892, 898, 913–915, 924–934, 952–953, 961. 1997.
- 大塚攻. カイアシ類. 日高敏隆(監修): 日本動物大百科 (7), 無脊椎動物. 平凡社, 東京. Pp. 126–128, 130–131, 1997.
- 大谷修司・秋山優・遠部卓・大塚攻. 動植物プランクトンと着生藻類. 神西湖の自然編集委員会(編): 神西湖の自然—小さな汽水湖・大きな恵み—. たたら書房, 米子. Pp58–80. 1995.
- 上真一・大塚攻・遠部卓. 潮汐フロント, 生物過程. 柳哲雄(編): 潮目の科学. 恒星社厚生閣, 東京, Pp. 78-100, 1990.